

ByStar Federation of Autonomous Libre Services

Free Software Ideology for Internet Services

LinuxFest Northwest

Document #record-201105013
April 29, 2011

Article and Presentation Available on-line at:
<http://www.neda.com/Records/201105013>

Mohsen BANAN
E-mail: <http://mohsen.banan.1.byname.net>

Copyright © 2011 Mohsen BANAN

Permission is granted to make and distribute complete (not partial) verbatim copies of this document provided that the copyright notice and this permission notice are preserved on all copies.

Contents

I	Ills and Contours of the Cure	1
1	Problem: Dominance of Internet By Large Corporations	1
1.1	Deal Made: Free-of-Charge Service - Targeted Advertising	1
1.2	Ramifications Of The Deal	1
1.3	Internet Application Services Today: Ill Directed	2
1.4	Causes For Concern	2
2	Solution: Autonomous Libre Services	2
2.1	We Need To Be Very Multi-Dimensional and Inter-Disciplinary	2
2.2	General Contours Of The Cure	3
2.3	A Model Inversion: From Industrial to Convivial	3
2.4	Our Goal	3
3	What Are ByStar Libre Services	4
3.1	Libre Services: A non-proprietary Model	4
3.2	From Free Software To Libre Services	4
3.3	From Software Wars To Service Wars	4
4	Challenges of the Libre Services Model	4
4.1	Model's Track Record and Limitations	4
4.2	What Is ByStar	6
4.3	Layering of Concepts and Results	6
5	Roadmap	6
II	Language, Definitions, Models and Concepts	6
6	Concepts and Definitions Summary	6
7	Some Vocabulary	8
7.1	Language: Globish, Not American or British English	8
7.2	Definition: Free / Libre	8
7.3	Nature Of Poly-Existentials	9
8	Some Definitional Criteria	9
8.1	Libre Services: Definitional Criteria	9

8.2	Autonomous Libre Services	9
8.2.1	Autonomous Libre Services: Definitional Criteria	9
8.2.2	Autonomous Libre Services: Degrees of Trust and Autonomy	9
8.2.3	ByStar Autonomous Libre Services	10
8.3	Federated Libre Services	10
8.3.1	Federated Libre Services: Definitional Criteria	10
8.3.2	Types Of Federated Libre Services	10
9	Some Modeling Concepts	11
9.1	Operation in the For-Profit and Non-Proprietary Quadrant	11
9.2	Software - Service Continuum – Where Proprietary Looses	11
9.2.1	Protocols Hour Glass – Note Convergence in the Middle	12
9.2.2	ByStar Hour Glass – Importance of Convergence in the Middle	12
9.2.3	Service, Desktop, Laptop, PDA Continuum Libre everywhere	12
9.3	Societal End-To-End Argument vs Rise of the Middle	12
9.4	The Engineering End-To-End Argument	12
9.4.1	Engineering End-To-End Summary	12
9.4.2	ByStar End-To-End Philosophy	15
10	Some Societal Concepts	15
10.1	Ivan Illich’s Concept of Convivial Tools	15
10.1.1	Convivial Software	15
10.2	East vs West – Rejection of Americanism	15
10.3	Responsibilities of Professions and Health of Society	15
10.4	Halaal and Haraam – Ethics of Software and Service	16
10.4.1	Halaal and Convivial Software Quadrant	17
III	By* Federation of Autonomous Libre Services	17
11	ByStart Entities	17
11.1	ByStar Registered Domains	17
11.2	Libre Services Supporting Organizations	17
12	Libre Services Engine	17
12.1	By* Features and Capabilities	17
13	ByStar Appliances – Service As Software	20

14 Where We Are Today	20
14.1 ByStar Services Current Status	20
14.2 ByStar Instance Examples	20
IV Joining ByStar, Obtaining ByStar and Using ByStar	20
15 Interface Model of ByStar User Env and ByStar Services	20
16 ByStar Libre Emacs Environment (BLEE) Model	20
17 Try It On Your Own	20
17.1 Getting LSIP Scripts	25
V Engineering Design of ByStar	25
18 ByStar Design Principles	25
18.1 General Nature of Under, At and Above Distro Activities	25
18.2 The ByStar Over Distro Development Model	25
18.3 Design Big, Implement Gradually	25
18.4 Main Design Principles	25
18.5 Major Software Components	25
19 Software To Service Aggregation	28
20 By* Naming principles What Is ByStar	28
21 Libre Service Integration Platform	28
21.1 LSIP Features	29
21.2 Design and Implementation Notes	29
21.3 LSIP Documentation	29
VI ByStar Vertical Slices (Feature Families)	29
22 ByStar Vertical Slices	29
22.1 List of Vertical Slices	30
23 ByStar Email / Messaging Vertical Slice	30
23.1 qmail ByStar Server Architecture	30
23.2 qmail ByStar User Agent Architecture	30

24 CMS / Plone Vertical Slice	30
25 Self Publication Vertical Slice	30
25.1 ByStar Content Publication Model	33
25.2 ByStar Content Publication Workflow	33
25.3 ByStar Content Publication Architecture	33
26 Auxiliary Vertical Slices	33
26.1 ByStar Music Vertical Slice	33
26.2 ByStar Music Vertical Slice	33
VII Economic and Business Dimensions of ByStar	33
27 The Libre Services Revenue Model	39
27.1 ByStar Supply Chain Model	39
28 Marketing Strategy	39
28.1 Marketing Messages (West and East)	39
28.2 Marketing Strategy: Broad Philosophical Hell Raising	39
28.3 Elevator Story	40
28.4 Our Principal Sustainable Advantage	40
VIII Societal, Inter-Societal, Social and Legal Ramifications	40
29 Identifying the Tear Points – (1) East, (2) Software-Service Continuum	40
29.1 Proprietary Market Insignificance is Libre Opportunity – Eg: Perso-Arabic Script	40
29.2 LSIP Copyleft License	40
IX Framework For Participation, Collaboration and Guardianship	41
30 Collaborative Development Framework	41
31 The Collaborative Model From Concept To Service Delivery	41
31.1 Spread The Word	41
31.2 Key Documents	41

List of Figures

1	From Free Software To Libre Services	4
2	From Software Wars To Service Wars	5
3	Layering of Concepts and Results	7
4	Operation in the For-Profit and Non-Proprietary Quadrant	11
5	Protocols Hour Glass – Note Convergence in the Middle	13
6	ByStar Hour Glass – Importance of Convergence in the Middle	14
7	Halaal and Convivial Software Quadrant	16
8	ByStart Entities	18
9	Libre Services Supporting Organizations	19
10	ByStar Services Current Status	21
11	ByStar Instance Examples	22
12	Interface Model of ByStar User Env and ByStar Services	23
13	ByStar Libre Emacs Environment (BLEE) Model	24
14	General Nature of Under, At and Above Distro Activities	26
15	The ByStar Over Distro Development Model	27
16	Software To Service Aggregation	28
17	qmail ByStar Server Architecture	31
18	qmail ByStar User Agent Architecture	32
19	ByStar Content Publication Model	34
20	ByStar Content Publication Workflow	35
21	ByStar Content Publication Architecture	36
22	The Libre Services Revenue Model	37
23	ByStar Supply Chain Model	38
24	The Collaborative Model From Concept To Service Delivery	41

Preface

Hello, Salaam.

My name is Mohsen BANAN.

I am a Software Engineer.

I offer you these thoughts as part of the Internet Engineering Profession's responsibility to Society and Humanity.

I solicit your feedback and welcome your comments.

The title of this presentation is xxxx.

With your comments and feedback you can reach me at: contact or email me at feedback@mohsen.1.banan.byname.net.

About This Document

This document is web published as Records-201105013 at: <http://www.neda.com/Records/201105013>.

Part I

Ills and Contours of the Cure

1 Problem: Dominance of Internet By Large Corporations

1.1 Deal Made: Free-of-Charge Service - Targeted Advertising

In A Blink Of An Eye

American Public Made a Deal with American Corporations.

Free-of-Charge People Got:

Email (Personal Messages) Calendar, Address Book, ... Content Publication Facebook Webpage & "Friends"

American Corporations Got:

Semantic Analysis of Email Spying with consent Logs and Trail Analysis Behavior Cross References

1.2 Ramifications Of The Deal

- A New Currency Has Been Created: Personal Information, Privacy, Autonomy
- An Established Business Model that Translates Personal Information into Targeted Advertising
- The Debit Side of this New Currency is Humanity

- Americans got there with no discussion of long term social consequences. No discussion of Sociology, Social Psychology, Morality.
- Mr. Zuckerberg (Founder of Facebook) Has Done More Harm To The Human Race Than Anybody Else His Age.
- And He Was Celebrated As “Person Of The Year” (Time Magazine).
- America is mostly an Economic Society.
- And now this American Disease is spreading through out the world.

1.3 Internet Application Services Today: Ill Directed

Internet Application Services Today: Ill Directed

- The wrong model: proprietary, owned and controlled
 - Ownership oriented to the Service Provider
 - Non-transparent software
 - User information owned and controlled by the proprietary Service Provider
- Structurally incoherent
 - Ad hoc: no overarching engineering design
 - Driven by short-term business expedience and profit
 - Functionally uncoordinated

1.4 Causes For Concern

- Networks are societal resources and their usage model must not be left to free markets and business.
- The Internet is today controlled by large corporations, and critical civil liberties are being compromised.
- Current Copyright and Patent laws are in conflict with nature and are harming humanity.
- As first generation engineers we have a responsibility to safeguard the societal welfare.

The goal of this project is to:

Liberate Internet Services

2 Solution: Autonomous Libre Services

2.1 We Need To Be Very Multi-Dimensional and Inter-Disciplinary

In Order To Get It Right

We Need To Consider Ramifications Of:

Software As Service and Service As Software and the Software-Service Continuum

In ALL Dimensions: Philosophical, Societal, Engineering, Economic and Business

Is All Within Our Scope.

2.2 General Contours Of The Cure

ByStar Federation of Autonomous Libre Services

- The Full Scope of Internet Services: Star “*” in ByStar means everything
- Fully Libre: Complete rejection of so-called Western IPR
- Autonomous When Possible – Usually End-To-End
- Federated Based on Autonomous – Central only when required

Paving the way towards: The Convivial and Halaal Quadrant

2.3 A Model Inversion: From Industrial to Convivial

We Are Proposing:

A Model Inversion For All Of Internet Services

From Industrial To Convivial

With Huge Economic and Societal Ramifications

2.4 Our Goal

- Full Spectrum Internet Services: Functionally Equivalent to What Exists hotmail, yahoo mail, google mail – Facebook, LinkedIn – youtube, search
- Full Software Service Continuum – (Service, Desktop, Notebook, Handheld)
- Focused on User Autonomy and Privacy
- Purely Based on Libre Software
- A New Radical Model but Fully Evolutionary

This We call:

ByStar (By*) Federation of Autonomous Libre Services




Figure 1: From Free Software To Libre Services

3 What Are ByStar Libre Services

3.1 Libre Services: A non-proprietary Model

Libre Services: A non-proprietary Model for delivery of Internet services

A non-proprietary Model for delivery of Internet services

Free Software Ideology For Internet Application Services

3.2 From Free Software To Libre Services

3.3 From Software Wars To Service Wars

4 Challenges of the Libre Services Model

4.1 Model's Track Record and Limitations

Beyond Free Software




Figure 2: From Software Wars To Service Wars

We have won the Free Software battle Proprietary Software Already Lost We Demonstrated Two Things:

1. Model: Free/Libre is Superior to Proprietary
2. Implementation: GNU/Linux is Superior to Windows (More Convivial)

But Now The Game Has Changed – Software has mostly become Service.

Limitation and Challenges: Software is inherently collaborative and cumulative. (naturally absorbs energy) Service is inherently remote and isolated. (but that can be changed)

Service is inherently remote and isolated. (but that can be changed – When Service Is Software)

4.2 What Is ByStar

- By* is a coherent framework for enabling complex interactions among people, businesses and information.
 - Small and Medium Businesses: ForSMB.net Individuals:
 - ByName.net, ByAlias.net, ByMemory
 - Places and Events: ByWhere.net, ByEvent.net
 - Information: ByTopic.org
 - For Interactions: ByInteraction.net

4.3 Layering of Concepts and Results

5 Roadmap

- Language, Definitions, Models and Concepts
- ByStar Federation of Autonomous Libre Services
- Joining ByStar, Obtaining ByStar Software and Using ByStar
- Engineering Design of ByStar
- ByStar Vertical Slices (Feature Families)
- Economic and Business Dimensions of ByStar
- Societal, Inter-Societal, Social and Legal Ramifications
- Collaborative and Guardianship Framework

Part II

Language, Definitions, Models and Concepts

6 Concepts and Definitions Summary

- Globish vs English




Figure 3: Layering of Concepts and Results

- Libre Vs Free
- Libre Services
- Autonomous Libre Services
- Federation of Autonomous Libre Services
- Nature of Poly-Existentials
- The Non-Proprietary, For-Profit Quadrant
- Tools For Conviviality
- Responsibilities of Professions and Health of Society
- Societal End-To-End Argument vs Rise of the Middle
- Rejection of Americanism, East vs West
- Halaal and Haraam

7 Some Vocabulary

7.1 Language: Globish, Not American or British English

- The Audience for these concepts is global (Chinese, Iranians, Brazilians, Europeans and also Americans)
- ByStar belongs to Humanity – Not Any Particular Society (In contrast to Facebook, LinkedIn, Google, MSN, ...)
- This is in Globish – A limited sub-set of English that has already forked off from American/British English)
- Examples: Libre and Gratis (Not Free), Convivial, Halaal

7.2 Definition: Free / Libre

In English "Free" is ambiguous:

1. Free can mean Libre: free as in freedom of action
2. Free can mean Gratis: free as in zero monetary cost

English/Globish needs the word "Libre".

In this document, we generally avoid the word free.

In compound usage (e.g., Free Software), When we say "free" we will always mean Libre:

Nature at Work: Poly-Existentials flourish when libre from restrictions and ownership

7.3 Nature Of Poly-Existentials

- So Called Western IPR is in conflict with Nature
- What Are Poly-Existentials:
- Multi-Possessability
- Ownership is a one-to-one relationship
- An Ownership Mistake With Ramifications Broader than Slavery
- Pointer to PLPC – Full title in box

8 Some Definitional Criteria

8.1 Libre Services: Definitional Criteria

1. The service must consist entirely of open-source & free software components
2. The service must be based entirely on patent-free protocols
3. The integration software must consist entirely of free software

Hence the entire service is reproducible and modifiable based on access to source code

8.2 Autonomous Libre Services

8.2.1 Autonomous Libre Services: Definitional Criteria

1. Service Transparency – Libre Services: Definitional Criteria
2. Service Portability – Libre Services: Definitional Criteria
3. Data Portability (from hosting/provider to hosting/provider)
4. Non-Retention of Data (by host/provider)
5. End-To-End Non-Restrictivity

8.2.2 Autonomous Libre Services: Degrees of Trust and Autonomy

- User Owned – Provider Managed
 - Libre Shared Hosting Subscriber SLA, AUP
 - Libre Shared Hosting Advertisement SLA, AUP
- User Owned – User Managed
 - Libre Center Co-location / Dedicated Hosting
 - Cloud Based Hosting
 - At User Premise – your own machine and dedicated IP Address

While All Is Supported, The Guarantee of “At User Premise” option should always be maintained.

8.2.3 ByStar Autonomous Libre Services

- Individual (Named, Living) – ByName.com - ByName.net
- Individual (Alias, Living) – ByAlias.com - ByAlias.net
- Individual (Minor) – ByFamily.com, ByFamily.net
- Individual (Named, Deceased) – ByMemory.com - ByMemory.net
- Individual (Information) – ByAuthor.net, ByAuthor.com

- Families – ByFamily.com, ByFamily.net

- Small/Medium Businesses – BySMB.net, ForSMB.net Domain is usually redirected to business's domain

- Locations: ByWhere.net

All of These ByStar Autonomous Services are available as Shared Hosting, Dedicated Hosting, Colocation and ByStar Appliances.

8.3 Federated Libre Services

8.3.1 Federated Libre Services: Definitional Criteria

1. Service Transparency – Libre Services: Definitional Criteria
2. Service Portability – Libre Services: Definitional Criteria
3. Public Data Designated By Autonomous Libre Service
4. Safeguards of Private Data and Non-Retention of Data on command
5. Logs confidentiality and transparency
6. Based on Facilitation of End-To-End Interactions

8.3.2 Types Of Federated Libre Services

- Content Republishers
 - Proprietary Examples: Youtube
 - ByStar Domains: ByTopic.org, ByContent.org
- Collaborative Content Production
 - Existing Examples: Wikipedia, sourceforge, Ancestry.com
 - ByStar Domains: BySource.org, ByBinary.org, ByAuthor, ByFamily.com (genealogy)
- Personal Interaction Facilitators
 - Proprietary Examples: Facebook, Likedin, eharmony, Yahoo!Dating
 - ByStar Domains: ByInteractions




Figure 4: Operation in the For-Profit and Non-Proprietary Quadrant

- Trade Facilitators
 - Proprietary Examples: Craigslist, ebay, Amazon
 - ByStar Domains: ByInteractions
- Search Engines
 - Proprietary Examples: Google, Bing
 - ByStar Domains:

9 Some Modeling Concepts

9.1 Operation in the For-Profit and Non-Proprietary Quadrant

9.2 Software - Service Continuum – Where Proprietary Looses

Service, Desktop, Laptop, PDA Continuum Free/Libre everywhere

Hour Glass= Diversity on Top – Diversity at the Bottom – Cohesion and Convergence in the middle

Consistent OS: Linux everywhere Consistent GUI: Gnome everywhere Consistent Applications: Emacs, ... everywhere Deep, Broad and Consistent Integration through Free Software and Libre Services

9.2.1 Protocols Hour Glass – Note Convergence in the Middle

9.2.2 ByStar Hour Glass – Importance of Convergence in the Middle

9.2.3 Service, Desktop, Laptop, PDA Continuum Libre everywhere

- Consistent OS: Linux everywhere
- Consistent GUI: Gnome everywhere
- Consistent Applications: Emacs, ... everywhere

Deep, Broad and Consistent Integration through Free Software and Libre Services

9.3 Societal End-To-End Argument vs Rise of the Middle

- Interactions Amongst People/Businesses and Information Could Be:
 1. Direct – End-to-End
 2. Central – Middle-Controlled
- End-To-End vs Middle-Controlled Architectures have both Engineering and Societal Ramifications
- Today’s Industrial Internet Application Services are generally Central and Middle-Controlled.
- The Convivial ByStar Libre Services are generally End-To-End and Middle-Light.
- The End-To-End model is Autonomy and Privacy Friendly
- The Middle-Controlled model is Hostile to Autonomy and Privacy

9.4 The Engineering End-To-End Argument

- End-to-end Arguments in System Design <http://web.mit.edu/Saltzer/www/publications/endtoend/endtoend.pdf>
- Rethinking the design of the Internet: The end to end arguments vs. the brave new world http://www.csd.uoc.gr/~hy558/papers/Rethinking_2001.pdf
- The Rise of the Middle and the Future of End-to-End. <http://www.ietf.org/rfc/rfc3724.txt>
- Tools for Conviviality - Ivan Illich https://clevercycles.com/tools_for_conviviality

9.4.1 Engineering End-To-End Summary

The most important benefit of the end to end arguments is that they preserve the flexibility, generality, and openness of the Internet. Movement to put more functions inside the network jeopardizes that generality and flexibility as well as historic patterns of innovation. A new principle evident already is that elements that implement functions that are invisible or hostile to the end to end application, in general, have to be “in” the network, because the application cannot be expected to include that intermediate element voluntarily.




Figure 5: Protocols Hour Glass – Note Convergence in the Middle




Figure 6: ByStar Hour Glass – Importance of Convergence in the Middle

9.4.2 ByStar End-To-End Philosophy

- Make Services Autonomous Whenever Possible (peer-to-peer oriented)
- Invest and Focus on End-to-End communications facilities amongst Autonomous Libre Services
- When a Federated Service functions as an intermediary, limit its role to the bare essential of hooking the two ends. Thereafter, communications can be end-to-end.

10 Some Societal Concepts

10.1 Ivan Illich's Concept of Convivial Tools

Tools are intrinsic to social relationships. An individual relates himself in action to his society through the use of tools that he actively masters, or by which he is passively acted upon.

To the degree that he masters his tools, he can invest the world with his meaning; to the degree that he is mastered by his tools, the shape of the tool determines his own self-image. Convivial tools are those which give each person who uses them the greatest opportunity to enrich the environment with the fruits of his or her vision. Industrial tools deny this possibility to those who use them and they allow their designers to determine the meaning and expectations of others. Most tools today cannot be used in a convivial fashion.

10.1.1 Convivial Software

- Unix/GNU Vs Microsoft Windows
 - Unified file model, pipe, small dedicated progs, ...
- Emacs vs Vi
 - buffers, major-modes, minor-modes, key-maps, frames, windows, regions,
- qmail vs sendmail
 - complete separation of queuing and spooling from submission, delivery and protocols.

Enable the tool user to be creative and expressive

10.2 East vs West – Rejection of Americanism

- Global Scope – Can't be dominated/dictated by Western Values
- East vs West Fundamental Distinctions:
 - East: More Society Oriented
 - West: More Individual Oriented – More Economically Driven

10.3 Responsibilities of Professions and Health of Society

- What Does "Profession" Mean? It also includes Societal Responsibility.




Figure 7: Halaal and Convivial Software Quadrant

10.4 Halaal and Haraam – Ethics of Software and Service

- Halaal means Moral/Ethical – Okay to do/consume
- Haraam means Immoral/Unethical/Harmful – Should Not Be Done/Consumed

Defining Halaal Software/Internet Service:

1. Is A Perpetual Transparent Modifiable Poly-Existentia – Equivalent of “Free Software”
2. Its Use Has Been Endorsed By The Engineering Profession
3. Its Use Has Not Been Prohibited By Ethicists (Sources of Emulation)

10.4.1 Halaal and Convivial Software Quadrant

Part III

By* Federation of Autonomous Libre Services

11 ByStart Entities

11.1 ByStar Registered Domains

Organizational Domains

neda.com – freeprotocols.org – by-star.net

Autonomous Domains

ByName.net ByName.com – ByAlias.net ByAlias.com – ByMemory.com ByMemory.net ByFamily.com
ByFamily.net ByWhere.net

Federated Domains

BySource.org ByBinary.org – ByContent.net – ByTopic.net

11.2 Libre Services Supporting Organizations

12 Libre Services Engine

- Rudimentary Manifestations
 - LAMP
 - * Linux - Apache - MySQL - Perl/PHP/Python
 - Savannah and Savane
 - Wikipedia and Mediawiki
 - Can we do better than that?
 - * Expand it
 - * Formalize it
 - * Make it be cumulative

12.1 By* Features and Capabilities

- A named entity domain - Owned by the entity
 - A public website: My Internet
 - An expanded website for friends: My Extranet




Figure 8: ByStar Entities




Figure 9: Libre Services Supporting Organizations

- A private portal: My Intranet
- By* Libre Self-Publication Facility
- By* Libre Texting
- Email, e-fax, etc.
- Blog, photo gallery, GeneWeb, etc.

13 ByStar Appliances – Service As Software

- BACS Autonomous Appliances – Guaranteed Autonomy
- BISP Appliances
- ByStar User Environments – Blee on Debian and Ubuntu
- Re-Branding of ByStar

14 Where We Are Today

14.1 ByStar Services Current Status

14.2 ByStar Instance Examples

Part IV

Joining ByStar, Obtaining ByStar and Using ByStar

15 Interface Model of ByStar User Env and ByStar Services

16 ByStar Libre Emacs Environment (BLEE) Model

17 Try It On Your Own

By* Service Environment:

1- Create Your ByName Account <http://www.ByName.Com> 2- Receive Your Passwd In Email 3- Use It With A Browser

By* User Environment:

1- Get A Laptop/Desktop/Netbook 2- Install Debian or Ubuntu On It 3- Obtain and Run `bystarGenesis.sh` 4- Use the Acct/Pass from (SE-2) 5- Marry your BUE with your Service 6- Fireup Blee and Enjoy


Service	Status	Comment
www.ByName.net www.ByName.com	Pre-operational	Major functionality complete and approaching operational deployment. Component of Stage C deployment; in progress.
www.ByNumber.net www.ByNumber.com	Pre-operational	Major functionality complete and approaching operational deployment. Component of Stage C deployment; in progress
www.ByAlias.net www.ByAlias.com	Limited usage	Major functionality complete. Undergoing usage and usability testing. Component of Stage C deployment; in progress
www.ByMemory.net www.ByMemory.com	Operational	Operational with all basic features and functionality. Component of Stage C deployment; in progress
www.BySMB.com	Operational	BySMB functionality is complete and operational, allowing website creation under the custom development model. See By* Instance Examples for active websites. Component of Stage B deployment; complete.
www.ForSMB.com	Operational	ForSMB functionality is complete and operational, allowing website creation under the self-service model. Component of Stage B deployment; complete.
www.ByWhere.net	Prototype	Working prototype complete. See By* Instance Examples for demonstration websites. Component of Stage D deployment; future.
www.ByEvent.net	Concept only	At concept level only, with no functionality yet implemented. Component of Stage E deployment; future.
www.ByTopic.net	Prototype	Working prototype complete. Complete of Stage E deployment; future.
www.ByInteraction.net	Concept only	At concept level only, with no functionality yet implemented. Component of Stage D deployment; future.
www.BySource.org	Limited usage	Basic functionality complete. Undergoing usage and usability testing.
www.ByBinary.org	Limited usage	Basic functionality complete. Undergoing usage and usability testing.

Figure 10: ByStar Services Current Status

Service Type	Domain Name	Description
ForSMB/BySMB	www.neda.com	A software development and Internet services company. An extensive and comprehensive website with over 100 pages. Technologies: Jetspeed, Tomcat, Gallery.
	www.NewDinnerware.com	An online store selling fine porcelain tableware. Includes standard e-retail features: shopping cart, checkout, credit card payment. Technology: Interchange
	www.TalkToUS.org	A non-profit organization promoting better international understanding. Enables communication via short personal video messages. Technologies: Jetspeed, Gallery, streaming video
	www.PinaMotorsports.com	An auto repair and specialized auto customization shop. Technologies: Plone/Zope, Interchange, Gallery
	www.Payk.net	A non-profit organization for grassroots communication among Iranians. Technologies: Plone/Zope, Gallery
	www.AllMuslimCemetery.org	An Islamic cemetery. Related to ByMemory; many gravesites have associated ByMemory memorials. Technology: Plone/Zope.
	www.LibreServices.org	A non-profit forum and resource center for development of Libre Services. Technology: Plone/Zope
	www.BySource.org	Free Software distribution center
ByMemory	yazdan.1.banan.bymemory.net	A memorial site. Includes a genealogy and photo gallery; multilingual. Technologies: Plone/Zope, GeneWeb, Gallery
ByName	mohsen.banan.1.byname.net	A personal website for a professional engineer. Includes a genealogy and photo gallery; multilingual. Technologies: Plone/Zope, blog, GeneWeb, Gallery
ByWhere	info.1-98008-5807-10.bywhere.net	A ByWhere site used to provide address and driving directions. Technologies: Apache, Gallery
	ForRent.1-98008-5765-05.bywhere.net	A ByWhere site used to provide house rental information. Technologies: Apache, Gallery

Figure 11: ByStar Instance Examples

ByStar Autonomous Service Environment (BASE)



ByStar User Environment (BUE)

Figure 12: Interface Model of ByStar User Env and ByStar Services




Figure 13: ByStar Libre Emacs Environment (BLEE) Model

17.1 Getting LSIP Scripts

Example 1. `wget http://www.bysource.org/lsip/lpGenesis.sh ./lpGenesis.sh`

Just respond to the prompts.

Example 2. Anonymous CVS:

```
cvs -d :pserver:anoncvs@cvs.bysource.org:/rep1 checkout -d osmt public/osmt
```

Part V

Engineering Design of ByStar

18 ByStar Design Principles

18.1 General Nature of Under, At and Above Distro Activities

18.2 The ByStar Over Distro Development Model

18.3 Design Big, Implement Gradually

Design Big, Implement Gradually

Autonomous First

Convivial Design

18.4 Main Design Principles

- Purity of Debian GNU/Linux Platform
- Linux Account is Central for Everything
- Virtual Domains for everything are tied to accounts
- Main Criteria For Component Selection is Conviviality
- On top of Debian, LSIP - ByStar - BUE Layering is generally rigid

18.5 Major Software Components

By* Libre Services: Software Components

- Debian GNU/Linux
- Base: djbdns, daemontools, ucspi, multilog, ...
- Mail: qmail, courier, spamassassin, ezmlm, ...
- Web: apache, zope, plone, ...




Figure 14: General Nature of Under, At and Above Distro Activities




Figure 15: The ByStar Over Distro Development Model




Figure 16: Software To Service Aggregation

- Misc: postgres, mysql, Interchange, ...
- Glue: Libre Services Integration Platform (LSIP)

19 Software To Service Aggregation

20 By* Naming principles What Is ByStar

Take full advantage of the Domain Notation depth.

- mohsen.banan.1.byname.net
- forRent.1-98008-5765-05.bywhere.net

21 Libre Service Integration Platform

Problem Domain of LSIP

- How do you efficiently manage/administer/support a cluster of 20 or more Linux boxes?
- Consistency of software and system
- Consistent Tools
- Naturally enforced discipline
- Host and Site Abstraction

21.1 LSIP Features

Currently Supported: Debian, Ubuntu, Maemo, Solaris

- Persistent Host Abstraction
- - Profile Definitions Site Description
- - Multi-Site
- Support Software Components Consistency Framework Names and Address Administration
- Consistent Host Updates / Verification Service Provisioning Service Management Host/Site Monitoring

21.2 Design and Implementation Notes

Design and Implementation Notes

- Mostly implemented in bash/ksh scripts
- Consistent Administration of Software Components enforced through seed modules.
- Large Systems Administration Library
- Software Component Adoption Framework (lca)

21.3 LSIP Documentation

Mostly Self documented with "Roadmap" modules. Libre Platform Genesis Process:

<http://www.neda.com/PLPC/110101> <http://www.neda.com/PLPC/110501>

LSIP Design and Implementation Notes (Draft)

Part VI

ByStar Vertical Slices (Feature Families)

22 ByStar Vertical Slices

- Functionality's that span
 - ByStar User Environment
 - ByStar Autonomous Libre Services
 - ByStar Federated Libre Services

22.1 List of Vertical Slices

- Primary Vertical Slices
 - Email / Messaging (qmail) ByStar Vertical Slice
 - CMS / Plone ByStar Vertical Slice
 - Self Publication Vertical Slice
 - Integrated Public Key Infrastructure
- Auxiliary Vertical Slices
 - Music (Audio) Vertical Slice
 - Photo / Video Gallery
 - Genealogy
 - eFax/Scanning Document Management Service
 - VoIP

23 ByStar Email / Messaging Vertical Slice

- qmail based
- Single Domain, Multi-Address. Multi-Mailbox Model
- Gnus under Blee
- embedded MTA on User Environment
- Libre Texting, Push Email
- NOTYET, qmail figures come after this.

23.1 qmail ByStar Server Architecture

23.2 qmail ByStar User Agent Architecture

24 CMS / Plone Vertical Slice

- ploneProc.sh

25 Self Publication Vertical Slice

- More Info at: <http://www.neda.com/PLPC/110506>
- Adopted Components: TeX, XeTeX, tex4ht, Plone
- ByStar Modules: lcntProc.sh, Libraries
- In Blee: Menu Supported
- Supporting Autonomous Services: ByName, ByAlias, ByMemory
- Supporting Federated Services: ByContent, ByTopic




Figure 17: qmail ByStar Server Architecture




Figure 18: qmail ByStar User Agent Architecture

25.1 ByStar Content Publication Model

25.2 ByStar Content Publication Workflow

25.3 ByStar Content Publication Architecture

26 Auxiliary Vertical Slices


- ByStar Music
- ByStar Photo/Video Gallery
- ByStar Genealogy
- ByStar Fax/Scanning (Document Management System)
- ByStar VoIP

26.1 ByStar Music Vertical Slice

- Adopted Components: mpd, mpc, mplayer, emms
- ByStar Modules:
- In Blee: Menu Supported
- Supporting Autonomous Services: ByName, ByAlias, ByMemory
- Supporting Federated Services: ByContent


26.2 ByStar Music Vertical Slice

- Adopted Components: mpd, mpc, mplayer, emms
- ByStar Modules:
- In Blee: Menu Supported
- Supporting Autonomous Services: ByName, ByAlias, ByMemory, BySMB




Libre Content Publication -- Model

Figure 19: ByStar Content Publication Model



Libre Content Publication – Work Flow

Figure 20: ByStar Content Publication Workflow



Libre Content Publication Facilities – Architecture

Figure 21: ByStar Content Publication Architecture




Figure 22: The Libre Services Revenue Model




Figure 23: ByStar Supply Chain Model

Part VII

Economic and Business Dimensions of ByStar

27 The Libre Services Revenue Model

27.1 ByStar Supply Chain Model

28 Marketing Strategy

- On The Side of User
- Jusitsu

28.1 Marketing Messages (West and East)

United States, West – Key Marketing Messages

1. Autonomous Services vs Corp Owned Services
2. Convivial Model vs Industrial Model
3. Engineering vs Business
4. Libre vs IPR Regime
5. Preservation of Freedom, Privacy and Autonomy

East, Rest of the World – Key Marketing Messages

1. Societal Autonomy, Assertion of Sovereignty
2. Rejection of American Hegemony – Through the Libre Alternative

28.2 Marketing Strategy: Broad Philosophical Hell Raising

Rejection of Western Copyright and Patent Law:

Nature of Poly-Existentials Abolishment of the so-called Western IPR Regime PLPC-xxx

Preservation of Privacy and Autonomy:

Direct attack against proprietary competitors.

Public Sector Challenges:

Solicit Governmental Support.

28.3 Elevator Story

We use the existing Internet Service Provider Characteristics of:

- Proprietary and Closed
- Disregard for Privacy and Autonomy

as a Marketing vehicle to promote our functionally equivalent services which we call ByStar Libre Service.

The scope of ByStar is ALL Internet Services. The equivalent of MSN, AOL, Facebook, LinkedIn, ... All combined.

This is possible with a model inversion (from Proprietary to Libre) which brings the collaborative and cumulative characteristics of Free Software to Libre Services.

28.4 Our Principal Sustainable Advantage

Lots of Coherent Established Assets + A complex business model based on rejection of patents and copyright + Rare fitness to execute this particular model.

Software engineers are best suited to lead this

Part VIII

Societal, Inter-Societal, Social and Legal Ramifications

29 Identifying the Tear Points – (1) East, (2) Software-Service Continuum

1. East – Conviviality, Halaal and Libre are more Eastern. The West is too deeply committed to IPR and pure economic models and self.
2. Software-Service Continuum – Transparent Software and Transparent Service permits continuity of Service and Software. This is where the proprietary model loses.

29.1 Proprietary Market Insignificance is Libre Opportunity – Eg: Perso-Arabic Script

- See Perso-Arabic Document

29.2 LSIP Copyleft License

LSIP CopyLeft License Afero GPL V3 License LSIP is Open-Source and Free Software Dual Licensed if needed




Figure 24: The Collaborative Model From Concept To Service Delivery

Part IX

Framework For Participation, Collaboration and Guardianship

30 Collaborative Development Framework

- Working Together ...

31 The Collaborative Model From Concept To Service Delivery

31.1 Spread The Word

- I don't Own By* Libre Service – You Don't Own By* Libre Services
- We All Own By* Libre Services
- Use It As You Wish – Make It Be What You Want
- Stay Autonomous
- Spread The Word

31.2 Key Documents

- Neda Open Business:

- By* Libre Services Libre Services Manifesto PLPC-100105
- ByStar full picture PLPC-110004
- Unsolicited Proposal PLPC-110005
- By* Libre Texting

Colophon

This document was produced with Halaal Software and is published using Halaal Internet Services.
It uses LaTeX, beamer, ByStar, Blee, Emacs, ...

Colophon

- Totally Libre and Copyleft
- No proprietary software used in preparation, presentation and communication of this information
- Slides prepared with beamer-latex
- Presented using Ubuntu-Debian-GNU-Linux and Maemo on PDA
- Served as an Autonomous Libre Service using Debian, Apache, Plone, ...

Questions/Comments/Discussion